

- Q.1 A glycoalkaloid,
 [P] Contains sulphur in addition to nitrogen in its molecule
 [Q] is glycosidic in nature.
 [R] Can be hydrolysed to an alkaloid.
 [S] Always contains endocyclic nitrogen in its molecule.
- Choose the correct option.
- (A) P & R (B) Q & S (C) Q & R (D) P & Q

Ans. B

- Q.2 Which of the following statements are true for ginseng root?
 [P] It is among the most traded plant material of Brazil.
 [Q] It is obtained from *Panax ginseng* and *Panax quinquefolium*.
 [R] It is obtained from young plants of six months to one year age.
 [S] It contains derivatives of protopanaxadiol.
- (A) P & Q (B) R & S (C) Q & R (D) Q & S

Ans. D (MINOR TEST)

- Q.3 Which of the following drugs is a triterpenoid containing root?
 (A) Valerian (B) Brahmi (C) Satavari (D) Adusa

Ans. A (MINOR TEST)

- Q.4 Which of the following alkaloids is derived from tyrosine?
 (A) Quinine (B) Morphine (C) Atropine (D) Ephedrine

Ans. B (MINOR TEST)

- Q.5 The following options carry the name of the plant, part used and its family. Find a WRONG combination.
 (A) *Aegle marmelos*, fruit & Rutaceae
 (B) *Conium maculatum*, fruit & Umbelliferae
 (C) *Glycyrrhiza glabra*, root and stolon & Leguminosae
 (D) *Strophanthus gratus*, seed & Scrophulariaceae

Ans. D (MINOR TEST-50% SIMILAR -B & A OPTION ARE DIFFERENT FROM OUR QUESTION)

- Q.6 Anomocytic stomata, trichomes with collapsed cell and absence of calcium oxalate crystals are some of the microscopic features of which plant?
 (A) Digitalis (B) Hyoscyamus (C) Mentha (D) Senna

ANS. A (MAJOR PAPER)

- Q.7 Each of the following options lists the name of the drug, its class, pharmacological action and plant source. Choose an option showing a WRONG combination.
 (A) Asafoetida, oleo-gum-resin, anti-flatulence, *Ferula foetida*
 (B) Benzoin, balsam, antiseptic, *Styrax benzoin*
 (C) Myrrh, gum-resin, antiseptic, *Commiphora wightii*
 (D) Papaine, enzyme, proteolytic, *Carica papaya*

ANS.C

- Q.8 Quinoline alkaloids are biosynthesized via which one of the following pathways?
 (A) Shikimic acid - tyrosine (B) Shikimic acid - tryptophan
 (C) Shikimic acid - cathinone (D) Shikimic acid - phenylalanine

ANS.B (MINOR TEST)

- Q.9 Which of the following ergot alkaloids is water soluble and shows blue fluorescence?
 (A) Ergosine (B) Ergotamine (C) Ergocristme (D) Ergometrine

ANS.D (MINOR TEST- AS IN THAT Q. WE ASKED ABOUT WATER SOLUBLE ERGOT ALKLOID)

- Q.10 Khellin is an active constituent of which one of the following plants?
 (A) *Prunus serona* (B) *Tribulus terrestris*
 (C) *Ammi visnaga* (D) *Vanilla planifolia*

ANS.C (MINOR TEST)

Q.11 Goldbeater's skin test is used to detect the presence of which one of the following classes of compounds?

- (A) Tannins (B) Steroids (C) Glycerides (D) Resins

ANS.A

Q.12 Which one of the following compounds is useful for the stimulation of cell division and release of lateral bud dormancy?

- (A) Zeatin (B) 2, 4-Dichlorophenoxyacetic acid
(C) Indoleacetic acid (D) Picloram

ANS.A (MINOR + MAJOR TESA ALSO)

Q.13 Phenylethylisoquinoline is the precursor of which of the following alkaloids?

- (A) Colchicine (B) Papaverine (C) Emetine (D) Cephaline

ANS.A (MINOR TEST)

Q.14 A powdered drug has the following microscopic characters:

Anther cells, arenchyma, pollen grains, phloem fibers, volatile oil cells and stone cells. The powder is obtained from which of the followings?

- (A) Clove bud powder (B) Clove bud powder with stalk
(C) Mother Clove (D) None of the above

ANS.B

Q.15 Arrange the following fatty acids in decreasing order of their unsaturation (highest to lowest):

[P] Stearic [Q] Oleic acid [R] Lmolenic acid [S] Linoleic acid

- (A) P > Q > R > S (B) S > R > P > Q (C) R > S > Q > P (D) Q > P > R > S

ANS.C

Q.16 Determine the correctness or otherwise of the following Assertion [a] and the Reason [r]:

Assertion (a): Tannins are polyphenolic substances occurring in plant cell sap.
Hydrolysable and condensed tannins are differentiated by match stick test.

Reason (r) : The condensed tannins are resistant to acid hydrolysis therefore stain the lignin present in match stick.

- (A) Both (a) and (r) are true, and (r) is a correct reason for (a)
(B) Both (a) and (r) are true, but (r) is NOT the correct reason for (a)
(C) (a) is true but (r) is NOT the correct reason for (a)
(D) Both (a) and (r) are false

ANS. B (AS U KNOW A &R TYPE QUE. ARE VERY IMP.PART OF OUR TEST SERIES . IN EVERY TEST U GET AROUND 3-5 QUE)

Q.17 Determine the correctness or otherwise of the following Assertion [a] and the Reason [r]:

Assertion (a): Castor oil is soluble in alcohol and is used as purgative.

Reason (r) : The oil contains ricinoleic acid having a hydroxyl group at C-12 position which is responsible for its solubility in alcohol and its purgative action.

- (A) Both (a) and (r) are true but (r) is NOT the correct reason for (a)
(B) (a) is true but (r) is NOT the correct reason for (a)
(C) Both (a) and (r) are true and (r) is the correct reason for (a)
(D) Both (a) and (r) are false

ANS.C (SEMI MAJOR TEST)

Q.18 In acetate mevalonate pathway geranyl pyrophosphate leads to formation of monoterpenes, the major constituents of volatile oils.

[P] Geranyl pyrophosphate contains two isoprene units

[Q] Monoterpenes have 15 carbon atoms

[R] The two isoprene units condense in head to tail fashion to give Monoterpenes

[S] Isoprene unit has molecular formula of C₅ H₈.

Which one of the given statements is correct?

- (A) P is true. Q is false, R is true, S is false
(B) P is false. Q is true, R is true, S is false
(C) P is true. Q is true, R is false, S is true
(D) P is true. Q is false, R is true, S is true

ANS.D

Q.19 Two genetic types of Cannabis i.e. drug type and Hemp types are cultivated.

- [P] Drug type cannabis is rich in (-) Δ^9 -THC-tetrahydrocannabinol.
 [Q] Hemp type cannabis is rich in cannabidiol
 [R] Drug type cannabis is rich in cannabidiol
 [S] Hemp type cannabis contains elongated bast fibres

Which one of the given statements is correct?

- (A) P is true, Q is true, R is true, S is true
 (B) P is true, Q is false, R is false, S is true
 (C) P is true, Q is true, R is false, S is true
 (D) P is false, Q is false, R is true, S is false

ANS. D

Q.20 Each of the following options lists a phytoconstituent, its phytochemical grouping, pharmacological activity and corresponding semi synthetic analogue. Find a MISMATCHING option.

- (A) Podophyllotoxin, lignan, anticancer, etoposide
 (B) Sennoside, anthraquinone, laxative, sinigrin
 (C) Atropine, alkaloid, anticholinergic, homatropine
 (D) THC, terpenophenolic, psychoactive, nabilone

ANS. B

Q.21 Inhibition/induction of which of the following Cytochrome P450 enzyme system is most likely to be involved in important drug-drug interactions?

- (A) CYP3A4 (B) CYP2D6 (C) CYP2C9 (D) CYP1A2

Ans. A (MINOR TEST)

Q.22 Which of the following mechanisms is NOT related to platelet aggregation inhibitory action?

- (A) ADP receptor antagonism
 (B) Glycoprotein IIb/IIIa receptor antagonism
 (C) Phosphodiesterase inhibition
 (D) Prostacyclin inhibition

ANS. D

Q.23 Choose the correct statement about the given four diseases?

- [P] Cardiomyopathy [Q] Rheumatoid arthritis
 [R] Myasthenia gravis [S] Ulcerative colitis
 (A) Q & S are autoimmune disorders
 (B) P & Q are autoimmune disorders
 (C) P & R are not autoimmune disorders
 (D) R & S are not autoimmune disorders

ANS. A

Q.24 Which of the following species is being inactivated by the enzyme Dipeptidyl peptidase-4?

- (A) Oxytocin (B) Vasopressin (C) Incretins (D) Glucagon

ANS. C (MINOR TEST) DPP4 plays a major role in glucose metabolism. It is responsible for the degradation of incretins such as GLP-1

Q.25 Patients taking isosorbide mononitrate or nitroglycerine should be advised not to take Sildenafil. This drug-drug interaction causes which of the following actions?

- (A) Respiratory failure (B) Severe hypotension
 (C) Prolongation of QT interval (D) Myocardial ischemia

ANS. B (MINOR TEST)

Q.26 Which of the following drugs does NOT induce mydriasis?

- (A) Atropine (B) Ephedrine (C) Phentolamine (D) Cocaine

ANS C (MINOR TEST)

Q.27 Which of the following statements is TRUE for angiotensin-II?

- (A) Causes myocyte hypertrophy
 (B) Decreases the action of sympathetic nervous system
 (C) Increases force of myocardial contraction
 (D) Decreases the synthesis and release of aldosterone

ANS. A

Q.28 Which of the following beta blockers has been shown clinically to reduce mortality in patients of symptomatic heart failure?

- (A) Atenolol (B) Carvedilol (C) Propranolol (d) Esmolol

ANS. B

Q.29 All of the given four drugs cause vasodilatation. Choose the correct statement about them.

[P] Bradykinin [Q] Minoxidil [R] Acetylcholine [S] Hydralazine

- (A) P & Q cause release of nitric oxide
(B) Q & R do not cause release of nitric oxide
(C) R & S cause release of nitric oxide
(D) P & S do not cause release of nitric oxide

ANS. A

Q.30 Rhabdomyolysis is the side effect associated with which of the following classes of drugs?

- (A) ACE inhibitors (B) Statins
(C) Calcium channel blockers (D) Sodium channel blockers

ANS. B (MINOR TEST)

Q.31 Blood level monitoring of HbA_{1c} is important in which of the given diseased states?

- (A) Hypercholesterolemia (B) Diabetes mellitus
(C) Myocardial infarction (D) Congestive heart failure

ANS. B

Q.32 Most of the emergency contraceptives have which one of the following active ingredients?

- (A) Estradiol (B) Norethindron
(C) Misoprostol (D) Levonorgestrel

Ans. D (MAJOR TEST -1)

Q.33 Which of the following antibiotics produces concentration dependent bactericidal action and also possesses post-antibiotic effect?

- (A) Ceftazidime (B) Azithromycin 1-(C) Amikacin (D) Piperacillin

ANS. C (MAJOR TEST -1)

Q.34 Antiretroviral Raltegravir is unique, because of which of its following actions⁹

- (A) Integrase inhibition (B) CCR5 Co-receptor antagonism
(C) Fusion inhibition (D) Reverse transcriptase inhibition

ANS. A (MINOR TEST- AS IN THAT Q. WE ASKED-WHICH OF THE FOLLOWING IS FUSION INHIBITOR)

Q. 35 What is chemotaxis?

- (A) Toxicity of chemicals
(B) Taxonomy of chemicals
(C) Inhibition of Inflammation
(D) Movement of leucocytes in inflammation

ANS. D (MINOR TEST , AS WELL AS -GATE-2006)

Q.36 Which one of the followings is NOT an example of G-protein coupled receptor?

- (A) Muscarinic cholinergic receptor (B) Alpha adrenoceptor
(C) Nicotinic cholinergic receptor (D) Beta adrenoceptor

ANS. C

Q.37 Which of the followings used in the treatment of rheumatoid arthritis is NOT a biologic response modifier?

- (A) Anakinra (B) Leflunomide (C) Etanercept V"(6) Infliximab

ANS. B (MINOR TEST- AS IN THAT Q. WE ASKED- ABOUT TNF)

Q.38 Which of the following statements is FALSE for artemisinin?

- (A) It is a sesquiterpene lactone endoperoxide
- (B) It is a drug of choice in prophylaxis of malaria
- (C) It does not cure relapsing malaria
- (D) It is useful in treatment of cerebral falciparum malaria

ANS. B (MINOR TEST)

Q.39 Which of the followings is a noncompetitive inhibitor of the enzyme reverse transcriptase m HIV?

- (A) Lamivudine
- (B) Nevirapine
- (C) Abacavir
- (D) Tenofovir

ANS. B

Q.40 Which of the followings is the most effective monotherapy for raising HDL cholesterol?

- (A) Statins
- (B) Niacin
- (C) Ezetimibe
- (D) to-3-Fatty acids

ANS. B

Q.41 Which of the following parameters from plasma concentration time profile study gives indication of the rate of drug absorption?

- (A) Cmax
- (B) Tmax
- (C) AUC
- (D) $t_{1/2}$

Ans. B (MAJOR TEST)

Q.42 Which of the following pairs has high binding affinity for 5 α -reductase?

- (A) Letrozole and androstenedione
- (B) Finasteride and testolactone
- (C) Finasteride and 5-DHT
- (D) Finasteride and testosterone

ANS. C (MINOR TEST- AS WE ASKED-5 α -reductase INHIBITOR IS?)

Q.43 Which of the following skeletal muscle relaxants acts directly on the contractile mechanism of the muscle fibers?

- (A) Pancuronium
- (B) Baclofen
- (C) Dantrolene
- (D) Chlorzoxazone

ANS. C (MINOR TEST)

Q.44 Which is the molecular target for the vinca alkaloids as anticancer agents?

- (A) Tyrosine kinase
- (B) DNA
- (C) Ribosomes
- (D) Tubulin

ANS. D (MINOR TEST)

Q.45 Choose the correct pair of the neurodegenerative disorders from those given below.

- (A) Parkinson's disease and Alzheimer's disease
- (B) Schizophrenia and Mania
- (C) Alzheimer's disease and Schizophrenia
- (D) Parkinson's disease and Autism

ANS .A

Q.46 A 64 year old woman with a history of Type II diabetes is diagnosed with heart failure. Which of the followings would be a POOR choice in controlling her diabetes?

- (A) Metformin
- (B) Piogtazone
- (C) Glipizide
- (D) Exenatide

ANS. B (MINOR TEST)

Q.47 Mifepristone and gemeprost combination is used for medical termination of pregnancy. The action is caused due to which of the following mechanisms?

- (A) Mifepristone is an antiestrogen while gemeprost is a prostaglandin E receptor agonist.
- (B) Mifepristone is an antiprogesterin while gemeprost is a prostaglandin E receptor agonist.
- (C) Mifepristone is an antiandrogen while gemeprost is a prostaglandin E receptor agonist.
- (D) Mifepristone is an antiprogesterin while gemeprost is a prostaglandin E receptor antagonist

ANS. B

Q. 48. Which one of the followings is a beta lactamase inhibitor?

- (A) Penicillanic acid
- (B) Embonic acid
- (C) Cephalosporanic acid
- (C) Clavulanic acid

Ans. D (SEMI MAJOR)

Q.49 All of the followings are indications for use of ACE inhibitors EXCEPT for one. Identify that.

- (A) Hypertension (B) Myocardial infarction
(C) Left ventricular dysfunction (D) Pheochromocytoma

ANS. D

Q.50 Neural tube defects may occur by which one of the following anti-seizure drugs?

- (A) Ethosuximide (B) Vigabatnn (C) Valproic acid (D) Primidone

ANS. C (MINOR TEST)

Q.51 Which water is used for hand washing in a change room of pharmaceutical manufacturing plant?

- (A) Potable water (B) Purified water
(C) Disinfectant water (D) Soap water

ANS. A

Q.52 Which one of the following drying methods is commonly used in Pharma industry for drying of soft shell capsules?

- (A) Truck drying. (B) Fluid bed drying
(C) Vacuum drying (D) Microwave drying

ANS. C

Q.53 Which one of the followings does NOT afford a macromolecular inclusion compound?

- (A) Zeolites (B) Dextrins (C) Silica gels (D) Cyclodextrins

ANS. D (Ref. - <http://dissertations.ub.rug.nl/FILES/faculties/science/1990/h.w.frijlink/c1.pdf>)

Q.54. If C is the concentration of dissolved drug and Cs is the saturation concentration. In which case the sink conditions are said to be maintained?

- (A) $C < 20\%$ of Cs (B) $C > 20\%$ of Cs (C) $C < 10\%$ of Cs (D) $C > 10\%$ of Cs

ANS. C

Q.55 Which condition does not apply as per Indian law while conducting single dose bioavailability study of an immediate release product?

- (A) Sampling period should be at least three $t_{1/2}$ el
(B) Sampling should represent pre-exposure, peak exposure and post-exposure phases
(C) There should be at least four sampling points during elimination phase
(D) Sampling should be continued till measured AUC is at least equal to 80% of AUC

ANS. C

Q.56 Upon standing sometimes gel system shrinks a bit and little liquid is pressed out. What is this phenomenon known as?

- (A) Oozing (B) Syneresis (C) Shrinking (D) Desolvation

Ans. B (A process by which a fluid exudate forms on the surface of a hydrocolloid gel, even when the gel is in water or in a S humid atmosphere. It is accompanied by shrinkage of the gel.

Read more: <http://www.answers.com/topic/syneresis>

Q.57 Which of the following routes of administration of drugs is associated with Phlebitis?

- (A) Subcutaneous (B) Intravenous (C) Intraspinal (D) Intradural

Ans. B

Q.58 Study the following two statements and choose the correct answer:

[P] Antibodies are serum proteins providing immunity.

[Q] IgG provides immunity to new born babies while IgM is the first generated antibody.

- (A) P is correct and Q is incorrect (B) P is incorrect and Q is correct
(C) Both P and Q are correct (D) Both P and Q are incorrect

ANS. C (MAJOR TEST)

Q.59 Which microbe is used for validation of sterilization by filtration process?

- (A) *Bacillus stearothermophilus* (B) *Pseudomonas diminuta*
(C) *Bacillus subtilis* (D) *Pseudomonas aeruginosa*

ANS. A and B (MAJOR TEST) also known as *Geobacillus stearothermophilus* (Spores)

Q.60 Non-linear pharmacokinetics can be expected due to

[P] Enzyme induction

[Q] Active secretion

Choose the correct answer.

(A) Both P and Q are true

(B) P is true, Q is false

(C) Q is true. P is false

(D) Both P and Q are false

Ans. A

Q.61 Which wavelength of the UV light provides maximum germicidal action?

(A) 253.7 nm

(B) 275.5 nm

(C) 283.5 nm

(D) 240.0 nm

ANS.A

Q.62 Which of the following statements is INCORRECT?

(A) Chick Martin test uses organic matter in media

(B) The organism in Rideal-Walker test is *S. typhi*

(C) Rideal-Walker test uses organic matter in media

(D) The organism in Chick Martin test is *S. typhi*

Ans. C (MINOR TEST- AS WE ASKED ABOUT RIDEAL WALKER TEST)

Q.63 Which of the following forces contribute to stability of charge-transfer complexes?

(A) Resonance forces

(B) Resonance and London dispersion forces

(C) Dipole-dipole interactions and London dispersion forces

(D) Resonance forces and dipole-dipole interactions

ANS.D

Q.64 Which of the following isotherms are produced when the heat of condensation of successive layers is more than the heat of adsorption of first layer?

(A) Type III and IV

(B) Type II and V

(C) Type I and III

(D) Type III and V

ANS.D

Q.65 Which of the followings act as a non-ionic emulsifying agent?

(A) Triethanolamine oleate

(B) Polyoxyethylene sorbitan monooleate

(C) N-Cetyl-N-ethylmorpholinium ethosulfate

(D) Dioctyl sulphosuccinate

ANS.B (MINOR TEST)

Q.66 The minimal effective flow rate of air in laminar flow hood should be not less than how many cubic feet per minute?

(A) 10

(B) 50

(C) 100

(D) 1000

ANS.C (MINOR TEST)

Q.67 Which of the following Schedules include shelf life of drugs?

(A) Schedule F

(B) Schedule M

(C) Schedule G

(D) Schedule P

ANS.D (MAJOR TEST+ MINOR TEST)

Q.68 Which of the following pumps is used in handling of corrosive liquids?

(A) Turbine pump

(B) Volute pump

(C) Air binding pump

(D) Peristaltic pump

ANS.D

Q.69 By addition of which of the followings the shells of soft gelatin capsules may be made elastic?

(A) Polyethylene glycol

(B) Sorbitol

(C) Propylene glycol

(D) Dibutyl phthalate

ANS.B and C

- Q.70 Convert 90% v/v alcohol to Proof strength. Choose the correct answer.
- (A) 57.77° under proof (B) 57.77° over proof
(C) 47.41° over proof (D) 47.41° under proof

ANS.B (MAJOR-PPAPER-2)

- Q.71 Department of Transport Test (DOT) is performed for which of the followings?
- (A) Strip packing (B) Aerosols
(C) Injection packing (D) Glass containers

ANS.B

- Q.72 What is the Heat of vaporization of water at 100°C?
- (A) 2790 cal/mole (B) 7290 cal / mole
(C) 7920 cal/mole (D) 9720 cal / mole

ANS.D

- Q.73 Determine the correctness or otherwise of the following Assertion [a] and the Reason [r]:

Assertion [a]: For a pharmaceutical powder true density is greater than the granule density.

Reason [r] : Mercury displacement used for determining granule density, allows penetration of liquid into internal pores of the particles.

- (A) [a] is true but [r] is false
(B) Both [a] and [r] are false
(C) Both [a] and [r] are true and [r] is the correct reason for [a]
(D) Both [a] and [r] are true but [r] is NOT the correct reason for [a]

ANS.A

- Q.74 Determine the correctness or otherwise of the following statements:

[P] Rheopexy is the phenomenon when a sol forms gel more readily when sheared gently. [Q] In a rheopectic system, sol is the equilibrium form.

[R] Rheopexy is a phenomenon when a sol forms gel when the material is kept at rest.

- (A) [R] is true but [P] and [Q] are false (B) [P] is true but [Q] and [R] are false
(C) [P], [Q] and [R], all are false (D) [P], [Q] and [R], all are true

ANS.B

- Q.75 Define Plasmapheresis? Choose the correct answer.

- (A) The process of collecting plasma and returning the red blood cells concentrate to the donor
(B) The process of collecting red blood cells concentrate and returning the plasma to the donor
(C) The process of separating white blood cells from blood
(D) The process of generating artificial blood plasma expanders

ANS.A (MINOR TEST)

- Q.76 Molecules in the smectic liquid crystals are characterized by which one of the followings?

- (A) Mobility in three directions and rotation in one axis
(B) Mobility in two directions and rotation in one axis
(C) Mobility in two directions and no rotation
(D) Mobility in three directions and no rotation

ANS.B

- Q.77 Choose the correct sequence of Moisture Vapor Transmission Rate in packaging materials?

- (A) Paper > Aluminium foil > PVC > PVdC
(B) Aluminium foil > PVC > PVdC > Paper
(C) Aluminium foil > PVdC > PVC > Paper
(D) Paper > PVC > PVdC > Aluminium foil

ANS.D

- Q.78 How many mL of 50% (w/v) dextrose solution and how many mL of 5% (w/v) dextrose solution are required to prepare 4500 mL of a 10% (w/v) solution?

- (A) 500 mL of 50% and 4000 mL of 5%
(B) 1000 mL of 50% and 3500 mL of 5%
(C) 4000 mL of 50% and 500 mL of 5%
(D) 1500 mL of 50% and 3000 mL of 5%

ANS. A (SIMILAR TO MINOR & MAJOR NUMERICAL VALUE ARE CHANGE)

Q.79 A drug is administered to a 65 Kg patient as 500 mg tablets every 4 hours. Half- life of the drug is 3 h, volume of distribution is 2 liter/Kg and oral bioavailability of the drug is 0.85. Calculate the steady state concentration of the drug?

- (A) 5.05mcg/ml (B) 4.50 mcg/ml (C) 3.53 mcg/ml (D) 3.00 mcg/ml

ANS.D

Q.80 P-Glycoprotein pump is responsible for which one of the followings?

- (A) Transporting the drugs from the enterocytes into the gut lumen
 (B) Transporting the drugs from gut lumen into enterocytes
 (C) Transporting the drugs from oral mucosa into blood capillaries
 (D) Transporting the drugs from Peyer's patches into the gut lumen

ANS.A

Q.81 Statement [X]: Hofmeister series grades coagulating power of electrolytes as per their ionic size. Statement [Y]: The relative coagulating power is given by:

- [P] $Al^{+++} > Ba^{++}$ [Q] $Li^+ > F^-$ [R] $NH^+ > Na^+$

Choose the correct statement:

- (A) Statement X is true but P, Q and R are false in Statement Y
 (B) Statement X is false and P, Q and R are false in Statement Y
 (C) Statement X is true and Q and R are false in Statement Y
 (D) Statement X is false and P is false in Statement

ANS.C

Q.82 The first stage of wetting on addition of a granulating agent to the powders is characterized by which one of the followings?

- (A) Capillary state (B) Pendular state
 (C) Funicular state (D) Droplet state

ANS. B

Q.83 Larger values of K_y in the Heckel Plot indicate formation of what quality of tablets?

- (A) Harder tablets (B) Softer tablets
 (C) Fluffy tablets (D) Brittle tablets

ANS. A

Q.84 The degree of flocculation of a suspension is 1.5 and the sedimentation volume is 0.75. What will be the ultimate volume of deflocculated suspension?

- (A) 2.0 (B) 1.5 (C) 0.75 (D) 0.5

ANS.D (Physical Pharmacy by Dr. U. B. Hadkar, Colloids, page no.112)

Q.85 What will be the time required for a drug exhibiting first order rate constant of 4.6/hr to be degraded from initial concentration of 100 mg/ml to 10 mg/ml?

- (A) 2 hr (B) 4hr (C) 9 hr (D) 0.5 hr

ANS. D (APPROX ANSWER-0.49) [SIMILAR TO MINOR TEST-JUST NUMERICAL VALUE ARE CHANGE]

Q.86 What will be the dose required maintaining therapeutic concentration of 20 microgram/ml for 24 hr of a drug exhibiting total clearance of 2 L/hr?

- (A) 96 mg (B) 480 mg (C) 960 mg (D) 48 mg

ANS.C (MINOR TEST)

Q.86 Which website first provides answer key of GPAT-11?

- (A) Gpatindia.com (B) pharmacophore solutions (C) both (D)

ANS. C

Q.87 What will be the urine to plasma ratio of a weakly acidic drug having pKa of 5? [Urine (pH = 5) plasma (pH = 7)]

- (A) 1:101 (B) 1:201 (C) 2:101 (D) 1:202

ANS.C HINT: - (U: $P=1+10^{pH \text{ urine}-pKa}/1+10^{pH \text{ Plasma}-pKa}$)

Q.88 The Reynolds number widely used to classify flow behavior of fluids is the ratio of which one of the followings:'

- (A) Inertial forces to gravitational forces (B) Inertial forces to viscous forces
 (C) Viscous forces to inertial forces (D) Viscous forces to gravitational forces

ANS.B (MINOR TEST)

Q.89 If the distillation graph using McCabe Thiele method is parallel to X-axis, then the feed is which one of the followings?

- (A) Saturated liquid (B) Saturated vapor
(C) Superheated liquid (D) Superheated vapor

ANS.A

Q.90 What for the baffles are provided in a shell and tube heat exchanger?

- (A) To increase turbulence (B) To decrease turbulence
(C) To prevent corrosion (D) To increase shell side passes

ANS.A

Q. 91 S O S means which one of the followings?

- (A) Take occasionally (B) Take immediately
(C) Take when necessary (D) Take as directed

ANS.C (MINOR TEST)

Q.92 Which statement is FALSE for Association Colloids?

- (A) They are also called amphiphiles (B) They contain aggregated molecules
(C) They show partial solvation (D) They are also called micelles

ANS.C

Q.93 Which of the followings is **NOT** a reciprocating pump?

- (A) Plunger pump (B) Diaphragm pump
(C) Gear pump (D) Piston pump

ANS.C

Q.94 Which is NOT applicable to protein binding?

- (A) Klotz reciprocal plot (B) Sandberg modified equation
(C) Blanchard equation (D) Detti plot

ANS.D

Q.95 Statement [P] : Soft gelatin capsules contain 12-15 % moisture.

Statement [Q] : Hard gelatin capsule shells contain 6-10 % moisture.

Choose the correct statement?

- (A) Both of the above statements P & Q are true
(B) Both of the above statements P & Q are false
(C) Statement P is true and Q is false
(D) Statement P is false and Q is true

ANS.B (MINOR TEST - AS WE ASKED ABOUT MOISTURE CONTENT OF SOFT GELATIN CAPSULE)

Q.96 According to USP, the speed regulating device of the dissolution apparatus should be capable of maintaining the speed within limits of what % of the selected speed?

- (A) 1 % (B) 2 % (C) 4 % (D) 5 %

ANS. C (+/- 4%)

Q.97 A drug whose solubility is 1 g/L in water, when given orally at a dose of 500 mg is absorbed up to 95% of the administered dose.

The drug belongs to which class according to the BCS classification?

- (A) Class I (B) Class II (C) Class III (D) Class IV

ANS.A

Q.98 Which statement is NOT true for steam distillation?

- (A) It is also called differential distillation
(B) It can be used for separation of immiscible liquids
(C) It can be applied for volatile substances
(D) It can be used for separation of miscible liquids

ANS.D

Q.99 The area of clear opening of any two successive sieves according to Tyler standard is in the ratio of,

- (A) 1 : 4 (B) 1 : 6 (C) 1 : $\sqrt{2}$ (D) 1 : $\sqrt{3}$

ANS.C

- Q.100 What is Primogel?
- (A) Substituted HPMC for direct compression
 - (B) Modified microcrystalline cellulose for direct compression
 - (C) Hydro gelling polymer for gel formation
 - (D) Modified starch for disintegration

ANS.D

DEAR STUDENTS

You can go through a real and perfect experience of NIPER Exams. "Pharmacophore Solutions" have launched a target NIPER programme for those who are really serious about their admission in NIPERs. We have prepared model papers on the basis of NIPER JEE pattern. These papers were prepared by NIPERites under the guidance of their faculties.

Total Papers: Ten (10)

Questions: 200 questions in each paper

Time: 2:30 (In NIPERJEE you have to solve paper in two hr but these papers are having much higher level so you have half an hour extra)

Marking: All questions carry equal marks (one mark each) 0.25 mark will be deducted for every wrong answer

Note: Whenever you go through online examination you should have a note book (Rough blank papers) with your pen.

Fees: This package fees is 1500 Rs.

Q.101 A tooth paste contains stannous fluoride and calcium pyrophosphate along with other formulation constituents. Choose the correct statement out of the followings?

- (A) Stannous fluoride is an anticaries agent while calcium pyrophosphate is a dentifrice
- (B) Stannous fluoride is a dentifrice while calcium pyrophosphate is a desensitizing agent
- (C) Stannous fluoride is a desensitizing agent while calcium pyrophosphate is an anticaries agent
- (D) Both are dentifrices while calcium pyrophosphate is additionally a desensitizing agent

ANS.A

Q.102 Hydrogen peroxide solution (20 volumes) is used topically as a mild antiseptic. It is mainly used for cleaning of wounds which could be due to some of the following actions of hydrogen peroxide.

- [P] Astringent action
- [Q] Nascent hydrogen releasing action
- [R] Oxidizing action
- [S] Mechanical cleansing action

Choose the correct statements for the use of hydrogen peroxide as cleaning agent for wounds?

- (A) P & R
- (B) P & Q
- (C) R & Q
- (D) R & S

ANS.C

Q.103 Magnesium trisilicate is considered to be a better antacid than aluminium hydroxide due to its following additional properties:

- [P] It has a fixed chemical composition
- [Q] It forms colloidal silicone dioxide
- [R] Magnesium ions overcome constipation
- [S] Magnesium ions cause higher inhibition of pepsin than aluminium ions

Choose the correct combination of statements?

- (A) Q & S
- (B) R & S
- (C) P & Q
- (D) Q & R

ANS.D (MINOR TEST)

Q.104 Boric acid is a weak acid (pKa 9.19) which cannot be titrated with a standard solution of sodium hydroxide using phenolphthalein as indicator. This titration becomes possible on addition of glycerol due to one of the following reactions. Choose the correct reaction?

- (A) Boric acid becomes boronic acid on reaction with glycerol
- (B) Boric acid gives a monoprotic tetravalent boron ester with glycerol
- (C) Boric acid gives a tribasic acid on reaction with glycerol
- (D) Two boric acid molecules combine to give an anhydride in presence of glycerol

ANS.C

Q.105 An iron compound used as heamatinic agent must meet two requirements i.e. it should be biologically available and be non-irritating. Which one of the following compounds meet the above two requirements most closely?

- (A) Ferric chloride (B) Ferric ammonium sulphate
(C) Ferric ammonium citrate (D) Ferrous thioglycollate

ANS. B

Q.106 Iodine-131 as sodium iodide solution is used as a radiopharmaceutical for diagnostic and therapeutic purposes. Its usage is dependent on the release of the following emissions:

- [P] Alpha particles [Q] Positrons [R] Beta emission [S] Gamma radiation

Choose the correct combination of statements?

- (A) R & S (B) Q & S (C) P & R (D) P & S

ANS. A (MINOR TEST)

Q.107 Arrange the following Lowry-Bronsted acids into their decreasing order of acidity (highest to lowest)?

- [P] C_2H_5OH [Q] $H_3C-C=CH$ [R] H_2O [S] CH_3NH_2

- (A) $R > P > Q > S$ (B) $P > R > Q > S$ (C) $P > Q > R > S$ (D) $R > Q > P > S$

ANS. C (MINOR TEST-ONLY C & D OPTION ARE CHANGE FROM OUR QUESTION)

Q.108 Alkenes show typical electrophilic addition reactions. If an electron withdrawing group is attached to one of the carbons bearing the double bond, what will happen to the mechanism of the addition reaction?

- (A) It remains electrophilic (B) It becomes free radical addition
(C) It becomes pericyclic reaction (D) It becomes nucleophilic

ANS- D

Q.109 Aprotic polar solvents increase the rate of SN_2 reactions manifold. Enhancement in the rate of such reactions is due to which one of the following effects?

- (A) Solvation of the anion by the solvent leaving the cation unaffected
(B) Solvation of both of the ionic species
(C) Desolvation of the cation and solvation of the anion
(D) Solvation of the cation by the solvent leaving the anion unaffected

ANS. D (MINOR TEST)

Q.110 Five-membered heteroaromatic compounds show a much higher rate of electrophilic aromatic substitution reactions than the six-membered ones. This is due to which one of the following reasons?

- (A) Five-membered heteroaromatic compounds have higher circulating electron density in the ring than the six-membered ones
(B) Five-membered heteroaromatic compounds have lower circulating electron density in the ring than the six-membered ones
(C) Five-membered rings are smaller in size than the six membered ones which affects their reaction rates
(D) Six membered heteroaromatic rings are flat while the five-membered ones are puckered

ANS. A

Q.111 Pyridine is more basic than pyrrole. This is due to which of the following facts?

- (A) Lone pair of electrons on N in pyrrole is localized
(B) Lone pair of electrons on N in pyridine is localized
(C) Nitrogen of pyrrole has one hydrogen atom attached to it while pyridine does not have any
(D) Pyridine has three double bonds while pyrrole has only two

ANS. B (MAJOR-PAPER)

Q.112 Diels-Alder reaction can be carried out in which of the following heterocyclic compounds most readily?

- (A) Pyrrole (B) Thiophene (C) Furan (D) Pyridine

ANS. C

Q.113 In nucleophilic aliphatic substitution reactions arrange the following leaving groups in decreasing order of their leaving capacity?

- [P] Brosyl[Q] Hydroxyl [R] Chloro [S] Mesyl
- (A) $S > R > P > Q$ (B) $P > S > R > Q$
 (C) $R > Q > S > P$ (D) $R > S > Q > P$

ANS.B

Q.114 Determine the correctness or otherwise of the following **Assertion [a]** and the **Reason [r]**:

Assertion **(a)** : Quaternary ammonium phase transfer catalysts can enhance the rate of nucleophilic aliphatic substitution reactions in biphasic systems with water soluble nucleophiles.

Reason **(r)** : Quaternary ammonium compounds are highly polar, positively charged water soluble compounds.

- (A) Both **(a)** and **(r)** are true but (r) is not the correct reason for **(a)**
 (B) Both **(a)** and **(r)** are true and (r) is the correct reason for **(a)**
 (C) **(a)** is true **(r)** is false
 (D) Both **(a)** and **(r)** are false

ANS. B

Q.115 Which one of the given compounds can be used as primary standard for standardization of perchloric acid solution in non-aqueous titrations?

- (A) Potassium hydrogen phthalate (B) Sodium bicarbonate
 (C) Potassium dihydrogen phosphate (D) Sodium methoxide

ANS.A (MINOR TEST)

Q.116 In context of complexometry (complexometric titrations), the two terms labile and inert complexes, are used frequently. Choose the correct statement about them?

- (A) Labile complexes are formed instantly while inert complexes take hours or days in their formation
 (B) Labile complexes take much longer time in formation than inert complexes
 (C) Labile complexes get hydrolyzed in water immediately while inert complexes are stable in water
 (D) Labile complexes get decomposed on mild heating in aqueous solutions while inert complexes do not decompose

ANS.C

Q.117 Indicators used in complexometric titrations are chelating agents. Choose the correct statement about them?

- (A) Indicator-metal ion complex should have higher stability than EDTA-Metal ion complex
 (B) Indicator-metal ion complex should have lower stability than EDTA-Metal ion complex
 (C) Indicator-metal ion complex should have equal stability as EDTA-Metal ion complex
 (D) Stability of the indicator-metal ion complex is not an important criterion in complexometric titrations

ANS.B

Q.118 In colorimetric estimation of a drug, the following sequence of reactions is carried out: treatment of the aqueous solution of the drug with sodium nitrite solution in acidic medium followed by addition of sulphamic acid and then treatment with N-(1-naphthyl) ethylenediamine in slightly basic medium to obtain a pink colour; which is measured at a fixed wavelength to correlate the quantity of the drug with the optical density. Identify the drug under estimation?

- (A) Streptomycin sulphate (B) Thiamine hydrochloride
 (C) Dexamethasone (D) Sulphamethoxazole

ANS.D

Q.119 Name the compound used for standardization of Karl-Fisher reagent in aquametry?

- (A) Sodium tartrate dihydrate (B) Copper sulphate pentahydrate
 (C) Sodium iodide (D) Sodium thiosulphate

ANS.A (SEMI MAJOR PAPER 2)

PHARMACOPHORE SOLUTIONS-JAIPUR

Q.120 In the electrochemical series, the standard reduction potentials of copper and zinc are + 0.337 V and - 0.763 V, respectively. If the half cells of both of these metals are connected externally to each other through an external circuit and a salt bridge, which one of the following processes will take place?

- (A) Zinc metal electrode will start dissolving in solution while copper ions will start depositing on the copper electrode.
- (B) Copper metal electrode will start dissolving in solution while zinc ions will start depositing on the zinc electrode
- (C) Both of the metal electrodes will start dissolving in the solution
- (D) Both types of ions will start depositing on their respective electrodes

ANS.A

Q.121 In polarography. DME has a number of advantages. One of the advantages is that mercury has large hydrogen over potential. It means which one of the followings?

- (A) Hydrogen ions get easily reduced on the DME
- (B) Hydrogen gas gets easily reduced on the DME
- (C) Hydrogen ions require high potential to be reduced at DME
- (D) Water is difficult to get oxidized at DME

ANS.A

Q.122 Following are the desirable properties of the liquid phase used in GLC **EXCEPT** for one of the followings. Identify that.

- (A) It should be inert to the analytes
- (B) It should have high viscosity at operating temperature
- (C) It should have low vapour pressure at the operating temperature
- (D) It should have a high resolving power

ANS.B (MINOR TEST)

Q.123 In HPLC analysis what type of column would you prefer?

- (A) A column with high HETP and high number of plates
- (B) A column with low HETP and low number of plates
- (C) A column with high HETP and low number of plates
- (D) A column with low HETP and high number of plates

ANS.D

Q.124 To synthesize sulphonyl urea antidiabetic, which of the following reactions can be used?

- (A) Reacting a suitably substituted sulphonyl chloride with a desired urea derivative under basic conditions
- (B) Reacting a suitably substituted sulphonamide with a desired isocyanate derivative
- (C) Reacting a suitably substituted sulphonic acid with a desired isocyanate derivative
- (D) Reacting a suitably substituted sulphoxide with a desired urea derivative

ANS.B (MINOR TEST)

Q.125 In an optically active organic compound a chiral carbon has the following attached groups:



Using 'Sequence Rules' choose the correct order of priority of the groups?

- (A) Q > P > S > R
- (B) P > Q > R > S
- (C) Q > P > R > S
- (D) P > Q > S > R

ANS.A

Q.126 The following statements are given:

- [P] Conformational isomers are interconvertible by rotation around a single bond while configurational isomers cannot be interconverted without breaking a bond.
 [Q] Configurational isomers could be optically active or optically inactive while conformational isomers are optically inactive
 [R] Geometric isomers must have a double bond in their structures
 [S] Geometric and optical isomers are the two distinct categories of configurational isomers.

Choose the correct combination of statements.

- (A) P, Q & S are true while R is false (B) P, R & S are true while Q is false
 (C) Q, R & S are true while P is false (D) P, Q & R are true while S is false

ANS.B (MINOR + SEMI MAJOR)

Q.127 A carbocation will **NOT** show one of the following properties. Choose that.

- (A) Accept an electron to give a carbene
 (B) Eliminate a proton to afford an alkene
 (C) Combine with a negative ion
 (D) Abstract a hydride ion to form an alkane

ANS.A (MINOR TEST)

Q.128 Determine the correctness or otherwise of the following **Assertion (a)** and the **Reason (r)**:

Assertion **(a)**: Formaldehyde and benzaldehyde both undergo Cannizzaro reaction while acetaldehyde and phenylacetaldehyde undergo Aldol condensation.

Reason **(r)** : Aldehydes can undergo both Cannizzaro as well as Aldol condensation while ketones undergo only Cannizzaro reaction.

- (A) Both **(a)** and **(r)** are false (B) **(a)** is true but **(r)** is false
 (C) **(a)** is false but **(r)** is true (D) Both **(a)** and **(r)** are true

ANS.B (SEMI MAJOR)

Q.129 Choose the **FALSE** statement for **E₂** mechanism in elimination reactions?

- (A) These reactions are accompanied by rearrangements
 (B) These reactions show a large hydrogen isotope effect.
 (C) These reactions show a large element effect
 (D) These reactions are not accompanied by hydrogen exchange

ANS.A (MINOR TEST)

Q.130 Choose the correct statement for writing the sequence of amino acids in a polypeptide?

- (A) Amino terminal is to be written on the left hand side while the carboxyl terminal is to be written on the right hand side
 (B) Carboxyl terminal is to be written on the left hand side while the amino terminal is to be written on the right hand side
 (C) Any of the amino acid terminals can be written on any sides but it is to be mentioned by specifying the amino terminal and the carboxyl terminal in abbreviations
 (D) It varies from author to author how the sequence of amino acids in a polypeptide is to be written

ANS.A

Q.131 BETA-Carboline ring system is present in

- (A) Emetine (B) Riboflavine
 (C) Deserpidine (D) d-Tubocurarine

ANS.C (MINOR TEST)

Q.132 Which one of the followings is **NOT** a bioisosteric pair?

- (A) Divalent ether (-O-) and amine (-NH) (B) Hydroxyl (-OH) and thiol (-SH)
 (C) Carboxylate (CO₂⁻) and sulfone (SO₂) (D) Hydrogen (-H) and fluorine (-F)

ANS.A

Q.133 Of the four stereoisomers of chloramphenicol which one is the biologically active isomer?

- (A) *L-Erythro* (B) *L-Threo* (C) *D-Erythro* (D) *D-Threo*

ANS.D

Q.134 The catalytic triad in acetyl cholinesterase is composed of which of the following amino acid residues?

- (A) Serine, Histidine and Glutamate (B) Serine, Arginine and Glutamate
(C) Threonine, Histidine and Aspartate (D) Threonine, Arginine and Glutamate

ANS.A

Q.135 Fajan's method of titrimetric analysis involves detection of the end point on the basis of which one the followings?

- (A) Colour change (B) Appearance of a precipitate
(C) Neutralization reaction (D) Adsorption phenomenon

ANS.B

Q.136 Which of the following statements is true?

- (A) Aliphatic protons have chemical shifts > 7 ppm
(B) Spin quantum number of proton is 1
(C) Chemical shift describes electronic environment of a proton
(D) Vicinal coupling constant is always higher than geminal coupling constant

ANS.C

Q.137 'In FT-IR instruments Michaelson interferometer is used in place of grating. The function of the interferometer is to act as a modulator'. What do you understand by this statement?

- (A) The function of the interferometer is to act as a monochromator
(B) The function of the interferometer is to convert high frequency radiations into low ones
(C) The function of the interferometer is to convert low frequency radiations into high ones
(D) The function of the interferometer is to convert frequency domain spectra into time domain spectra

ANS.A

Q.138 Polyamine polystyrene resins belong to which category of ion-exchange resins?

- (A) Strongly Acidic Cation Exchange Resins
(B) Strongly Basic Anion Exchange Resins
(C) Weakly Acidic Cation Exchange Resins
(D) Weakly Basic Anion Exchange Resins

ANS.D

Q.139 Discrepancies in potential measurements involving factors like 'alkaline error' and 'asymmetry potential' are associated with which of the following electrodes?

- (A) Hydrogen electrode (B) Quinhydrone electrode
(C) Saturated calomel electrode (D) Glass Electrode

ANS.A

Q.140 Which amongst the following auxochromes produces a shift towards higher energy wave length?

- (A) $-\text{CH}_3$ (B) $-\text{NHCH}_3$ (C) $-\text{Cl}$ (D) $-\text{C}=\text{O}$

ANS. B (MINOR TEST)

Q.141 What is the wave number equivalent of 400 nm wavelength?

- (A) 0.0025 cm^{-1} (B) 0.25 cm^{-1} (C) 2500 cm^{-1} (D) 25000 cm^{-1}

ANS.D

Q.142 Chloroform is stored in dark colored bottles because it is oxidized in presence of light and air to

a toxic compound. Identify that.

- (A) CH_2Cl_2 (B) COCl_2 (C) CO (D) CCl_4

ANS.B

Q.143 All of the given compounds show $n \rightarrow a^*$ transition. Identify which one will have the highest λ_{max} ?

- (A) Methanol (B) Methylamine
(C) Methyl iodide (D) Methyl bromide

ANS.D (MINOR TEST)

Q.144 Given are the four statements about NMR:

[P] ^{13}C MR is a less sensitive technique than PMR

[Q] Both ^{13}C and ^1H have $I=1/2$

[R] Precessional frequency of the nucleus is directly proportional to the applied magnetic field

[S] Deuterium exchange studies can be performed to ascertain protons attached to heteroatoms.

Choose the correct combination of statements.

- (A) P, Q & R are true while S is false (B) R, S & Q are true while P is false
(C) S, P & Q are true while R is false (D) All are true

ANS.D (MINOR + SEMI MAJOR TEST -50% QUESTION SIMILAR)

Q.145 Which of the following statements is **WRONG**?

- (A) The energy required for removing an electron from a molecule varies in the given order : lone pair < conjugated n < non conjugated n < σ
(B) Isotopic ratio is particularly useful for the detection and estimation of number of S, Cl and Br atoms in the compound in MS
(C) Neutral fragments and molecules do not get detected in the detector in MS
(D) The most intense peak in the MS is called the molecular ion peak

ANS.D

Q.146 Which one is an example of a bulk property detector used in HPLC?

- (A) Fluorescence detector (B) Photo diode array detector
(C) Refractive index detector (D) UV detector

ANS. C (MINOR TEST)

Q.147 The protons *ortho* to the nitro group in p-nitrotoluene are examples of which one of the following types?

- (A) Chemically equivalent but magnetically non-equivalent protons
(B) Chemically and magnetically equivalent protons
(C) Chemically and magnetically nonequivalent protons
(D) Chemically nonequivalent but magnetically equivalent protons

ANS.A

Q.148 A 250 $\mu\text{g}/\text{ml}$ solution of a drug gave an absorbance of 0.500 at 250 nm at a path length of 10 mm. What is the specific absorbance of the drug at 250 nm?

- (A) 0.002 $\text{cm}^{-1}\text{gm}^{-1}\text{litre}$ (B) 0.002 $\text{cm}^{-1}\text{gm}^{-1}\text{dl}$ (C) 20 $\text{cm}^{-1}\text{gm}^{-1}\text{litre}$ (D) 20 $\text{cm}^{-1}\text{gm}^{-1}\text{dl}$

Ans. D

Q.149 The peak at m/z 91 in the mass spectrum for alkyl benzenes is due to which one of the followings?

- (A) Alpha fission
(B) Retro Diels-Alder rearrangement
(C) Mc-Laffartey rearrangement
(D) Tropylium ion formation

ANS. D (MINOR TEST)

Q.150 Following statements are given for a chemical reaction:

Change in Gibb's free energy of the reaction has a negative value.

Change in Enthalpy of the reaction has a negative value

Change in Entropy of the reaction has a positive value

Based on the above statements choose the correct answer.

- (A) The reaction is spontaneous.
(B) The reaction is non-spontaneous.
(C) The reaction could either be spontaneous or non-spontaneous.
(D) The reaction can never be spontaneous.

ANS.A (MINOR TEST)

DEAR STUDENTS

1. THIS PAPER IS QUITE TOUGH.ACCORDING TO GPATINDIA.COM. THE CUT OFF MARKS WILL BE AROUND 30-40% MARKS.
2. SO DON'T WORRY STUDENTS. PAPER IS BIT UNBALANCE-.MED.CHEM, .CEUTICS, BIOCHEMISTRY, QUE. WERE VERY LESS IN COMPERISION TO OTHER SUBJECTS. HOWEVER RECENTLY ADDED ORGANIC CHEMISTRY HAVE GOOD NO. OF QUESTIONS.
3. U CAN SEE FROM PAPER THAT LOT OF QUESTION ASKED FROM OUR TARGAT-GPAT TEST SERIES -11.
4. IF ANY STUDENT SEQUIRE MORE THAN 40% MARKS THEN HE/SHE SHOULD START PREPARATION OF NIPER-JEE-11. DONOT WAIT FOR GPAT-11 RESULT.
5. CONTINUITY IS MAIN SUCCESS KEY FOR NIPER JEE-SUCCESS.
6. YOU CAN JOIN OUR PRE-NIPER TEST SERIES-2011-TOTAL 10 MOCK TEST-200 QUESTION IN EACH PAPER. FOR MORE DETAIL-<http://gpatindia.com/pre-niper/>
7. LAST YEAR OUR STUDENTS SELECTED IN NIPER, BITS PILANI DIPSAR ETC.

GPAT-2012 ON LINE TEST SERIES

STARTING FROM 15th JULY 2011

Here we provide latest information regarding GPAT-2012 Test Series. That will be conducted by Pharmacophore Solutions.

According to New Syllabus of GPAT-11 we have change syllabus of our tests;

- Total 26 (Twenty Six:- 20 –Minor, 2-Semi Major & 4 – Major) Test will be conducted till GPAT-2011
- **NOTE:-YOU CAN JOIN THE TEST SERIES TILL (Till April 2012 last week) GPAT-2012, ANY TIME WHEN YOU COME TO KNOW ABOUT IT, THROUGH ANY SOURCE.**
- Time – For Each Minor Test – 90 min., For Each Semi Major & Major- 180 min (3 Hr)
- Total Question In Each Minor Test- 60
- Total Question In Each Semi Major Test-100
- Total Question In Each Major Test-150
- Test Place: Any Cyber Cafe, Your College/Institute Net, Internet Facility is Necessary
- Day & Timing of Test: Any Time , Any Day – Till GPAT-2012
- Negative Marking System: Same as GPAT-2011 (1/3 marks deduction on every wrong answer)
- You can avail these papers every time, everywhere, there is no schedule. You can make your own schedule.
- Result: Result of your test will be display after completion of your every test (Within 1 sec.)
- Procedure to Join Test Series

1. Fill the Registration form For GPAT-2011 Test Series at – www.exam.gpatindia.com

2. **Deposit of Required Amount- (METHODS OF DEPOSITION OF REQUIRED AMOUNT)**

a. Make a DD of RS- 2100/- in Favor of “Pharmacophore Solutions” Payable at Jaipur, Send it at - Pharmacophore Solutions, E-75, Govidpuri, Ramnagar, Sodala, Jaipur- 302019, Rajasthan.

or

b. Direct Online Transaction Through Internet Banking in our Account. Our account details are as follows:

Bank Name: Punjab National Bank at Jaipur

Branch IFSC No: PUNB0395300

Name of the Account holder: Pharmacophore Solutions

Account Type: Current

Account Number: 3953002100013904

or

c. Direct transfer of required amount through ATM by your PNB ATM cum Debit card in our account (Send us your transfer slip along with Registration form)

or

d. Direct deposition of required amount in our account through PNB bank (Send us bank deposition slip with seal & signature of bank employee)

Important Note: After Deposition of required amount call us & send us the detail of online transaction on our address with Your Detail (Which you filled in Registration form along with Photograph). Also send the transaction detail on our Mail id-exam@gpatindia.com on same day of transaction.

HURRY NOW

"SUCCESS is here"

WWW.GPATINDIA.COM